

GRAFIX

creative studio

✉ rahat.grafix@gmail.com

☎ +61 451 833 914

185 Kings Georges Road, Roselands,
NSW 2196, Sydney, Australia

CONTENT

Anti-COVID Product	2	Light Boxes	36
THER01 Face Recognition Thermometer	3	DYN Dynamic LED Light Box	7
HYGN01A Auto Hand Sanitizer with 21.5" LCD Screen	4	SST Ultra Slim LED Light Box	38
HYGN01P Auto Hand Sanitizer with Poster	5	YGY Snap Frame LED Light Box	39
Digital Products (LCD/LED Screen)	6	SDB Magnetic LED Light Box	40
ADMA01-32 & -43 32"/43" A-Frame LCD Signage	7	ARB Back-lit ARC LED Light Box	41
ADMA02N (Non-battery)/ADMA02B (Battery)ADMA02N (Non-battery)/ADMA02B (Battery) 32" L-Frame LCD Signage	8	YGBD Double-Side Frameless Edge-lit LED Light Box	42
ADMA03D Rechargeable 43inch indoor LCD signage with wheels	9	YGQ Back-lit LED Light Box	43
ADMA03H Battery-powered wheel 43 inch waterproof LCD	10	YGW Hinged Waterproof LED Light Box	44
ADMA04 21.5 " LCD signage with LED Writing-board	11	CRS Single-Side Crystal LED Light Box	45
ADMA04W-27 & -32 Wall-mounted 21.5 " LCD Signage with LED Writing-board	12	FDS Double-Side Snap Frame LED Light Box	46
ADMW01-43 & -49 & -55 43"/49"/55" Wall-mounted LCD Menu Board	13	CRD Double-Side Crystal LED Light Box	47
ADMW02-43 & -55 43"/55" UHD 4K LCD Signage	14	Solar Advertising Products	48
ADMS01-43 & -49 & -55 43" /49" /55" LCD Advertising Stand Machine	15	SOL Solar LED Light Box	49
ADMH01-43 & -55 43"/55" Hanging LCD Signage	16	Poster Frames	50
SCNH01 P2.0 Hanging LED Screen	17	TPH Vertical Biconvex Light Box	51
SCNB01 P3.0 LED Screen Banner	18	DY01 32mm Snap Poster Holder	51
SCNB02 P2.5 LED Screen Banner	19	DY05 25mm Snap Poster Holder	52
SCNR01 P2.0 Round LED Screen	20	YS003 Side Slide Poster Holder	52
SCNL01 P4.7 LED LOGO Screen	21	DY03 30mm Outdoor Lockable Poster Frame	53
SCNP01 P4.0 Double-Side LED Screen	22	DY04 50mm Outdoor Notice Board	53
SCNP02 P6.0 Hydraulic Floor Standing LED Screen	23	Lecterns	54
SCNW01 P4.0 Single-side LED Screen	24	LCTN01 LED Lighting Lectern	55
SCNS01 P2.5 Square Column LED Screen	25	LCTN02 LED Lectern with Step & Shelf	56
Charging Stations	26	Illuminated Display Cabinet	57
CHR07 LCD Charging Station	27	LPAD LGP LED Light Pad Module	58
CHR03D LCD Charging Station with Brochure Holder	28	LED Lighting	59
CHR03S LCD Charging Station	29	YLP LGP Edge-lit LED Light Panel	60
CHR01S LCD Wired & Wireless Charging Station	30	YTP LED Back-lit Light Panel	61
CHR01D Poster Wired & Wireless Charging Station	31		
CHR09 SEG Poster Wired & Wireless Charging Station	32		
CHR02S LED Light Box Charging Station	33		
MPBK01 Menu Power Bank 01	34		
MPBK02 Menu Power Bank 02	35		

HYGN01A

Auto Hand Sanitizer with 21.5" LCD Screen

Product Features

- Free-touch & fast-sensor spray design.
- Big volume water tank allow for 1000 times spray
- 21.5" digital screen with Signway smart control system
- Support Wi-Fi / Ethernet web connection
- Fashionable outlook for Indoor use

Specification

Model No.	HYGN01A
DESCRIPTION	Automatic Hand Sanitizer with 21.5" Digital Screen
LCD size	21.5"
Brightness (typ.)/(min)	250 nits (typ.)
Contrast (typ.)	3000:1 (typ.)
Resolution	1920(H)× 1080(V)
Auto-sensing Distance	in 50-100mm
Response Time	250 ms
Indicator Light	Keep blue light on in work
Volume Per Serve	0.8~1.0 cc per serve
Spray Angle	≈45°
Spray Time	1 second per serve
Input Voltage	110-240V AC(50/60Hz)
Container Capacity	1000 cc



ADMA01-32 & -43

32"/43" A-Frame LCD Signage



Product Features

- Fashionable aluminum black frame
- World brand high resolution screen
- Support Wi-Fi / Ethernet / Bluetooth connection
- 2G RAM /8G ROM Android OS with RK3288 chipset
- Easily editable & managing display software

Specification

Model No.	ADMA01-32 & -43
Optimum Resolution	1080 x 1920
Contrast Ratio	1200:1/4000:1
Brightness	350~450 nits
Operating System	Android
Input Voltage	AC/100~240V 50/60Hz
Display Software	Included
File Types	WMV、AVI、FLV、RM、RMVB、MPEG、TS、MP4



ADMA02N (Non-battery)/ADMA02B (Battery) 32" L-Frame LCD Signage



Product Features

- Fashionable aluminum black frame
- World brand high resolution screen
- Support Wi-Fi / Ethernet / Bluetooth connection
- 2G RAM /8G ROM Android OS with RK3288 chipset
- Easily editable & managing display software
- Battery driving available as an option
- Light box display at the lower front to display store sign

Specification

Model No.	ADMA02N (Non-battery)/ADMA02B (Battery)
Optimum Resolution	1080 x 1920
Contrast Ratio	1200:1/4000:1
Brightness	350-450 nits
Operating System	Android
Input Voltage	AC/100~240V 50/60Hz
Display Software	Included
File Types	WMV、AVI、FLV、RM、RMVB、MPEG、TS、MP4



ADMA03D

Rechargeable 43inch indoor LCD signage with wheels




Product Features

- With wheels and handle for easy moving
- Battery driving available as an option
- World brand high resolution screen
- 2G RAM/ 8G ROM Android OS with RK3288 chipset
- Removable battery for easy charging
- Support WI-FI/ Ethernet /Bluetooth connection


Specification

Model No.	ADMA03D
Optimum Resolution	1080 x 1920
Contrast Ratio	1200:1 / 4000:1
Brightness	350~450 nits
Operating System	Android
Input Voltage	AC/ 100~240V 50~60Hz
Display Software	Included
File Types	WMV, AVI, FLV, RM, RMVB, MPEG, TS, MP4



ADMA03H

Battery-powered wheel 43 inch waterproof LCD



Product Features

- IP55 : The ADMA03H is used for outdoor with waterproof function.
- With wheels and handle for easy moving
- Battery driving available as an option
- World brand high resolution screen
- 2G RAM/ 8G ROM Android OS with RK3288 chipset
- Removable battery for easy charging
- Support WI-FI/ Ethernet /Bluetooth connection

Specification

Model No.	ADMA03H
Optimum Resolution	1080 x 1920
Contrast Ratio	1200:1
Brightness	1500 nits (Automatically dimming according to circumstance' s brightness)
Operating System	Android
Input Voltage	AC/ 100~240V 50~60Hz
Display Software	Included
File Types	WMV, AVI, FLV, RM, RMVB, MPEG, TS, MP4



ADMA04

21.5 " LCD signage with LED Writing-board



Product Features

- 21.5 inch LCD advertising display with writing board
- Lightweight aluminium frame
- World brand control system
- Support Wi-Fi / Ethernet connection
- Fashionable outlook for Indoor used

Specification

Model No.	ADMA04
Optimum Resolution	1080 x 1920
Contrast Ratio	1100:1
Brightness	350-450 nits
Operating System	Android 7.1 or Android 5.1 (option)
Input Voltage	100-240V AC(50/60Hz) / 1.5A(MAX) / 0.25A(non-battery)
Display Software	Included
File Types	MPEG1 · MPEG2 · MPEG4 · H.264 · WMV · MKV · TS · flv



ADMA04W-27 & -32

Wall-mounted 21.5 " LCD Signage with LED Writing-board




Product Features

- 27" or 32" LCD screen with LED writing board
- Lightweight wooden grain / black aluminum frame
- Signway smart control system
- Support Wi-Fi / Ethernet web connection
- Fashionable outlook for Indoor use

Specification

Model No.	ADMA04W-27 & -32
Optimum Resolution	1080 x 1920
Contrast Ratio	1200:1 (typical)
Brightness	400 nits
Operating System	Android 7.1 or Android 5.1 (option)
Input Voltage / Ampere	100-240V AC(50/60Hz) / 0.47A
Display Software	Included
File Types	AVI, MPEG4, WMV, MKV, FLV, MP4, MOV





ADMW01-43 &-49 &-55 43"/49"/55"Wall-mounted LCD Menu Board



Product Features

- Fashionable aluminum black frame
- World brand high resolution screen
- Support Wi-Fi / Ethernet / Bluetooth connection
- 2G RAM /8G ROM Android OS with RK3288 chipset
- Easily editable & managing display software
- IR touching available

Specification

Model No.	ADMW01-43 &-49 &-55
Optimum Resolution	1920 x 1080
Contrast Ratio	1200:1 /4000:1
Brightness	350~450 nits
Operating System	Android
Input Voltage	AC/100~240V 50/60Hz
Display Software	Included
File Types	WMV、AVI、FLV、RM、RMVB、MPEG、TS、MP4



ADMW02-43 & -55

43"/55" UHD 4K LCD Signage



Product Features

- 3840x2160, 4K UHD Display
- Built-in Android OS with RK3288 chipset
- Built-in Content Management System
- Support Multi Screens 4K Display Splicing
- Support USB-Plug Display / Remote Information Control

Specification

Model No.	ADMW02-43 & -55
Optimum Resolution	3840 x 2160
Contrast Ratio	4000:1 /1200:1
Brightness	500 nits
Operating System	Android
Input Voltage	AC/100~240V 50/60Hz
Display Software	Included
File Types	WMV、AVI、FLV、RM、RMVB、MPEG、TS、MP4



Digital Products



4K

2K



ADMS01-43 &-49 &-55 43" /49" /55" LCD Advertising Stand Machine



Product Features

- World brand high resolution screen
- Support Wi-Fi / Ethernet / Bluetooth connection
- 2G RAM /8G ROM Android OS with RK3288 chipset
- Easily editable & managing display software
- IR touching available
- Wheels included

Specification

Model No.	ADMS01-43 &-49 &-55
Optimum Resolution	1080 x 1920
Contrast Ratio	1200:1/4000:1
Brightness	350~450 nits
Operating System	Android
Input Voltage	AC/100~240V 50/60Hz
Display Software	Included
File Types	WMV、AVI、FLV、RM、RMVB、MPEG、TS、MP4

ADMH01-43 & -55

43"/55" Hanging LCD Signage



Product Features

- Fashionable steel frame
- Single side display
- World brand high resolution screen
- Support Wi-Fi / Ethernet / Bluetooth connection
- 2G RAM /8G ROM Android OS with RK3288 chipset
- Built-in Content Management System

Specification

Model No.	ADMH01-43 & -55
Optimum Resolution	1080 x 1920
Contrast Ratio	1200:1/4000:1
Brightness	350~450 nits
Operating System	Android
Input Voltage	AC/100~240V 50/60Hz
Display Software	Included
File Types	MP3、WMA、WAV、APE、FLAC、AAC、OGG、M4A、3GPP



CHR03D

LCD Charging Station with Brochure Holder



Product Features

- World brand high resolution screen
- 2G RAM /8G ROM Android OS with RK3288 chipset
- Built-in Content Management System
- 6pcs charging cables
- Support Wi-Fi / Ethernet / Bluetooth connection
- Capacitive touching available

Specification

Model No.	CHR03D
Overall Size	643 x 1889 mm
Screen Size	27"
Base Size	Φ 450 mm
Output Voltage	5V
Output Current	Max. 2.4A
Input Voltage	100~240V
Charging port	Max. 6pcs





CHR03S LCD Charging Station




Product Features

- World brand high resolution screen
- 2G RAM /8G ROM Android OS with RK3288 chipset
- Built-in Content Management System
- 6pcs charging cables
- Support Wi-Fi / Ethernet / Bluetooth connection
- Capacitive touching available

Specification

Model No.	CHR03S
Overall Size	843 x 1889 mm
Screen Size	27"
Base Size	Φ 450 mm
Output Voltage	5V
Output Current	Max. 2.4A
Input Voltage	AC/100~240V 50/60Hz
Charging port	Max. 6pcs





CHR01S LCD Wired & Wireless Charging Station



Product Features

- World brand high resolution screen
- 2G RAM /8G ROM Android OS with RK3288 chipset
- Built-in Content Management System
- 3pcs charging cables & 3pcs wireless charging modules
- Support Wi-Fi / Ethernet / Bluetooth connection
- Capacitive touching available

Specification

Model No.	CHR01S
Overall Size	550 x 606 x 1836 mm
Screen Size	32"
Base Size	Φ 450 mm
Output Voltage	5V
Output Current	Max. 2.4A
Input Voltage	AC/100~240V 50/60Hz
Wired Charging Port	3pcs
Wireless Charging Port	3pcs